

NOTE: This is a specimen label for electronic distribution. Always refer to product label on container for specific directions for use.

GRASS GETTER®

Postemergence Grass Herbicide

- Intended for residential/homeowner use on and around Flowers, Evergreens, Ornamental Groundcovers, Bedding Plants, Shrubs, Trees, Fruits*, Vegetables* (*See Table 2. Fruits and Vegetables for specific crops).
- Systemic selective herbicide kills weedy grasses without injuring desirable plants.
- Controls: Bermudagrass, crabgrass, foxtail, quackgrass and many other weedy grasses.



Active Ingredient:

Sethoxydim: 2-[1-(ethoxyimino) butyl]-5-[2-(ethylthio)propyl]-3-hydroxy-2-cyclohexen-1-one** 18.0%
 Other Ingredients 82.0%
 Total: 100.0%

**Equivalent to 1.5 pounds sethoxydim per gallon.
 Contains petroleum distillate.

® Grass Getter is a registered trademark of Lawn and Garden Products, Inc.

EPA Reg. No. 7969-58-54705

EPA Est. No. 48498-CA-1

ATTENTION: This product contains naphthalene which is a chemical known to the State of California to cause cancer.

NET CONTENTS: ½ Pint, 1 Pint or 1 Gallon

Manufactured for:
Lawn and Garden Products, Inc.
 P.O. Box 35000 • Fresno, CA 93745 • (559) 499-2100
 www.montereylawngarden.com

KEEP OUT OF REACH OF CHILDREN WARNING/AVISO	
Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)	
FIRST AID	
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center. • Do not give anything by mouth to an unconscious person.
If On Skin Or Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
If In Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water 15 to 20 minutes. • Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. • Call poison control center or doctor treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact BASF Corporation for emergency medical treatment information: 1-800-832-HELP (4357)	
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillate. Vomiting may cause aspiration pneumonia.	

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

Warning: Causes substantial but temporary eye injury. Causes skin irritation. Harmful if absorbed through skin or swallowed. Do not get in eyes, on skin, or on clothing. Wear long-sleeved shirt, long pants, chemical-resistant gloves made of any waterproof material, protective eyewear, shoes, and socks. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

ENDANGERED SPECIES CONCERNS

The use of any pesticide in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of Federal law. This pesticide is toxic to vascular plants and should be used strictly in accordance with drift precautions on this label in order to minimize off-site exposures.

PHYSICAL AND CHEMICAL HAZARDS

COMBUSTIBLE. DO NOT use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. READ ENTIRE LABEL FOR DIRECTIONS FOR USE AND PRECAUTIONARY STATEMENTS.

GRASS GETTER is a selective systemic grass killer to eliminate existing weedy grasses growing in and around plant beds, landscapes, and individual shrubs and trees. (See **Tolerant Plants**). GRASS GETTER can be used through a hose-end sprayer according to the directions of the sprayers being used or through a tank-type sprayer.

GRASS GETTER can also be used around listed fruit and vegetable areas (see **Table 2**) wherever listed weedy grasses occur. Use only tank type sprayers.

WEEDY GRASSES CONTROLLED: GRASS GETTER kills most annual and hard-to-kill perennial grasses up to 1 foot high, including the following examples, in one or two applications. Younger, actively growing seedling weeds are more easily killed than older, mature, well-established grassy weeds that may require a repeat application for control. Adding oil concentrate may help control grassy weeds.

Barnyardgrass	Orchardgrass, Seedling
Bermudagrass	Quackgrass
Broadleaf Signalgrass	Tall Fescue, Seedling
Crabgrass, (Large, Smooth)	Texas Panicum
Fall Panicum	Shattercane/Wildcane
Foxtails (Giant, Green, Yellow)	Wild Proso Millet
Goosegrass	Wirestem Muhly
Johnsongrass (Seedling, Rhizome)	Witchgrass
Junglerice	Woolly cupgrass
Lovegrass	

Note: This product does not control sedge (including nutsedge or nutgrass), annual bluegrass, or broadleaf weeds. Red fescue, chewings fescue, hard fescue, and dichondra turfs are also tolerant to GRASS GETTER.

APPLICATION TIMING: Apply when grassy weeds are actively growing, not exceeding the minimum of days from application to harvest when used on vegetables and fruits. Warm sunny weather will accelerate systemic movement from leaves and stems down to the roots to give complete kill. **Do not** mow or cut off tops of weeds before spraying. **Do not** apply if rainfall is expected within one hour following application. Growth of treated grasses stops soon after application. Grass turns yellow and dies within one to three weeks depending on the grass species, stage of growth and weather conditions. Cool weather, drought and heat stress slow activity.

TABLE 1. GRASS GETTER AND OIL CONCENTRATE DILUTION

Water to be Used (gallons)	Amount of Grass Getter®		Amount of Oil Concentrate*		Coverage In Square Feet
	Fluid Ounces	Tablespoons	Fluid Ounces	Tablespoons	
1	1	2	1	2	1,800
3	3	6	3	6	5,500

NOTE: This is a specimen label for electronic distribution. Always refer to product label on container for specific directions for use.

5 8	5 8	10 16	5 8	10 16	9,100 14,600
One gallon of spray will treat 1,800 square feet of area. *To prevent leaf burn of desirable plants, do not use oil concentrate when comfort index (temperature °F + humidity) exceeds 150.					

HOSE-END SPRAYER APPLICATION

Water Dilution/Premixing Not Needed

Determine the area to treat in square feet. Pour 1 fluid ounce GRASS GETTER and 1 fluid ounce oil concentrate in the hose-end sprayer bottle for each 1800 square feet to be treated. Apply 1 fluid ounce per gallon. After application, wash the sprayer with a dilute soap solution and rinse according to the sprayer instructions.

Water Dilution/Premixing Needed

Some hose-end applicators recommend premixing liquid products with water before pouring into the sprayer bottle. Read the hose-end sprayer instructions for treatments at 1 fluid ounce per 1800 square feet. Clean the sprayer after use according to the sprayer instructions.

TANK SPRAYER APPLICATION

Mix 1 fluid ounce GRASS GETTER plus 1 fluid ounce oil concentrate per 1 gallon water; spray to just wet the unwanted weedy grasses. One gallon of spray will treat 1800 square feet. Wash sprayer by flushing soapy water through the sprayer.

IMPORTANT: For spot treating grassy weeds near lawns and around sensitive plants, a tank-type sprayer is recommended. Spray carefully to avoid spray or drift contact with desirable plants. If drift occurs, wash foliage immediately with water.

FLOWERS, BEDDING PLANTS, EVERGREENS, SHRUBS, TREES AND ORNAMENTAL GROUNDCOVERS:

GRASS GETTER may be applied over the top of desirable plants infested by weedy grasses, or as a directed spray to weedy grasses at labeled rates. Do not exceed dosage rate per gallon of spray. Most ornamental species tested have been found tolerant to GRASS GETTER (see **Tolerant Plants** list). However, use with caution around the following plants as they may be damaged if spray contacts foliage: Azaleas (var. snow), Japanese Privet, Potentilla, Snow in Summer, Red Oak, White Oak, and ornamental grass.

GRASS GETTER may also be used on the following non-bearing food plants. Do not apply within 1 year of harvest.

Avocados	Olives	Pomegranates
Dates	Plums	Prunes
Figs		

FRUITS AND VEGETABLES (Use Only with Tank Type Sprayers):

Use GRASS GETTER on the fruits and vegetables listed in **Table 2. Fruits and Vegetables**. Apply on and around tolerant fruits and vegetables with a tank-type sprayer only. A second application may be made to all listed fruits and vegetables except peanut and strawberry.

The quantities presented in the **Table 1. GRASS GETTER (CONCENTRATE) AND OIL CONCENTRATE DILUTION** do not exceed the registered rates for the fruits and vegetables listed. Do not exceed the quantities presented.

Table 2. FRUITS AND VEGETABLES

CROP	Minimum time from last application to harvest (days)
Apple	14
Apricot	25
Artichoke (California Only)	7
Asparagus	1
Beans, dry	30
Beans, green	15
Beet (garden)	60
Blackberry	45
Blueberry	30
Broccoli	30
Cabbage	30
Cantaloupe	14
Carrots	30
Cauliflower	30
Celery	30
Cherries (sweet and sour)	25
Citrus	15
Crabapple	14
Cranberries ¹	60
Cucumber	14

Eggplant	20
Endive (Florida only)	15
Grape	50
Horseradish	60
Lentils ¹	50
Lettuce, head	30
Lettuce, leaf	15
Loganberry	45
Mint	20
Muskmelon	14
Onion, garlic	30
Peach	25
Peanut ²	40
Pear	14
Peas, green	15
Peas, dry	30
Pepper	20
Potato	30
Pumpkin	14
Quince	14
Raspberry	45
Spinach	15
Squash (all)	14
Strawberry ²	7
Tomato	20
Tree Nuts	15
Watermelon	14

¹Not for use in California

²Use no more than one (1) application per season. Up to 2 applications per season may be made on all other plants.

TOLERANT PLANTS

Trees

Listed by common name

Acacia, Knife Leaf	Myoporum
Arborvitae, Eastern (var. Teehny)	New Zealand Christmas Tree
Arborvitae, Berkman's, Oriental	Oak
Ash, Green	Oak, Water
Ash, Mountain	Oak, Willow
Ash, Mountain	Olive Tree
Ash, White	Olive, Russian
Basswood, American	Orchid Tree, Purple
Berkman's, Oriental	Osage Orange
Birch	Palm, Mediterranean fan
Birch, Asian White (var. Japonica)	Palm, Pygmy Date
Birch, European White	Palm, Queen
Birch, paper	Palm, Sago
Birch, River, Black or Red	Palm, Windmill
Black Locust	Palo Verde, Green
Bottle-brush	Paulownia, Royal
Bottle Tree	Pear, Common
Brisbane Box Tree	Pear, Evergreen
Cajuput Tree	Pear, Ussurian
Carob Tree	Pepper, Brazilian
Carrot Wood	Pine, Aleppo
Catalpa, Southern	Pine, Austrian
Cherry, Black	Pine, Canary Island
Cherry, Carolina	Pine, Caribbean Slash
Crabapple, Flowering (var. Dalgo,	Pine, Italian Stone
Radiant, Red Splendor, Royalty,	Pine, Jack
Vanguard, Sylvestris, Domestic)	Pine, Japanese Black
Cypress, False	Pine, Loblolly
Cypress, Leyland	Pine, Mugo
Cypress, Italian	Pine, Ponderosa, Western Yellow
Dogwood, Flowering	Pine, Red
Dogwood, Silky	Pine, Scotch
Dogwood, Pagoda	Pine, Shore
Elm, Chinese Evergreen	Pine, Slash
Eucalyptus	Pine, Southern
Fir	Pine, Virginia
Fir, Douglas	Pine, White (<i>Pinus parviflora</i>)
Fir, Frasier	Pine, White (<i>Pinus strobus</i>)
Fir, White	Pine, Yew
Goldenrain Tree	Plum, Wild
Guava	Poplar, Hybrid
Guava, Pineapple	Poplar, Yellow, Tulip Tree
Gum, Blue	Purpleleaf, Bailey Acacia
Gum, Lemon-scented	Redwood, Coast
Gum, Red Box	Sandcherry, Western
Hackberry, Common	Sensitive Plant
Hemlock, Canadian	Silktree
Holly, Chinese (var. Bufordii, Rotunda)	Spruce, Black Halls (var: Densata)
Holly, Hybrid (Var: Nellie Stevens)	Spruce, Colorado Blue
Holly, Japanese (var. Convexa,	Spruce, Norway
Compacta, Helleri, Hoogendorn)	Spruce, White
Holly Yaupon	Strawberry Tree
Ironbark, Red	Sumac, Standard, African

NOTE: This is a specimen label for electronic distribution. Always refer to product label on container for specific directions for use.

Jacaranda	Sweet Gum	Plumosa, Prince of Wales,	Weeping Fig, Exotica
Kentucky Coffee Tree	Sycamore	Webberi, Wiltonii, Bar Harbor,	Wheeler Dwarf, Variegated
Larch, European	Tea Tree, Australian	Andorra, Variegata, Youngstown	(var. Wheller)
Laurel, Indian	Tipu Tree	Blue Rug)	Yellow Bells
Linden	Walnut, Black	Juniper, Ozark	Yesterday-Today-and-Tomorrow
Linden, Littleleaf	Weeping Fig, Exotica	Juniper, Rocky Mountain (var. Blue	Yew
Locust, Honey	Willow	Heaven, Welchii, Wishita Blue,	
Loquat	Willow, Australian	Medova, Moffet, Pyramids, Green,	
Magnolia, Southern	Willow, Desert	Springtime, Admiral)	
Maple, Red	Willow, Peppermint		
Maple, Japanese	Yate, Bushy		
Maple, Silver	Yew, English		
Mimosa Tree			

Srubs

Listed by common name

Abelia, Glossy	Juniper, Savin (var. Skandia,
Acacia, Bailey	Arcadia, Broadmoor,
Acacia, Knife Leaf	Buffalo, Pepin)
Acacia, Prostrate	Juniper, Shore (var. Compacta)
Acacia Sydney Golden Wattle	Juniper, Tam (var. Tamariseifolia)
Andromeda	Lantana, Purple Trailing
Arborvitae, Oriental	Laurustinus
Arrowwood, Southern	Lemonade Sumad
Azalea, Mollis hybrid	Lilac, Common Purple
Azalea, Northern lights hybrid	Liriope, Green
Bamboo, Heavenly	Liriope, Variegated
Barberry, Japanese	Mickey Mouse Bush
Barberry, Korean	Mirror Plant, Creeping
Barberry, Redleaf	Mock Orange
Bird of Paradise Bush	Mountain Lilac, Carmel Creeper
Bluebeard	Myrtle, Dwarf
Boxwood, Common	Nandina, Heavenly Bamboo
Boxwood African	Nannyberry
Boxwood, Japanese (var. Japonica)	Ninebark
Buckthorn, Glossy, Alder	Ninebark (var. Aureus)
Camellia	Oleander
Cedar, Eastern Red (var. Pyramidiformis caneari)	Orchid, Rockrose
Cherry, Brush	Oregon Grape
Cherry, Manchu	Osmanthus, Holly-leaf
Chokecherry sp.	Osmanthus, Sweet Olive
Copper Plant, Caribbean	Palm, Natal (var. Green Carpet Tuttle)
Cotoneaster, Bearberry	Pampas Grass
Cotoneaster, Cranberry	Photinia
Cotoneaster, Peking	Photinia, Fraser
Coyota Bush	Pinklady
Cranberry Bush, American	Pink Powder Puff
Cranberry Bush, Golden	Pittosporum, Variegated Japanese
Crape Myrtle	Plumbago, Cape
Current, Alpine	Podocarpus, Yew
Dogwood, Red Osier	Princess Flower
Elaeagnus	Privet
Escallonia	Privet, Glossy (var. Lake Tresca)
Euonymus	Privet, Japanese, Waxwood
Euonymus, Evergreen (var. Golden, Silver King)	Privet, Texas
Euonymus, Winged	Purple Hop Bush
Fig, Creeping	Pyracantha
Firethorn	Rhododendron – Azalea (var. Hinocrimson, Hershey Red, Coral Blue, Hinodigiri, Christmas Cheer, Pink Ruffle, Formosa Flame, Delaware Valley White, New White)
Forsythia, Greenstem	Sandcherry, Purpleleaf
Flax, New Zealand	Serviceberry, Allegheny
Fuchsia, Australian	Serviceberry, Saskatoon (var. Regent)
Gardenis (var. Mystery, Radicans)	Silver King
Gardenia Dwarf (var. Veitchii)	Sky Flower, Brazilian
Gold Vine, Guinea	Snowball Bush
Hakea	Spindle Tree
Hawthorn, Indian	Spirea
Hibiscus, Blue	Spirea (var. Anthony Waterer, Frobellii, Goldflame)
Hibiscus, Chinese	Spirea (var. Fairy Queen)
Holly, Dwarf Burford	Spirea (var. Snowbound)
Honeysuckle, Bush	Star Plant, Lavender
Honeysuckle, Cape	Tea Tree, Australian
Hydrangea	Tea Tree, New Zealand (var. Red Glow)
Jasmine, Asiatic	Texas Ranger
Jasmine, Orange	Toyon, California Holly
Jasmine, Star	Trumpet Vine, Pink
Jasmine, Winter	Veronica (var. Coed)
Jessamine, Carolina	Viburnum, Japanese
Jojoba	Viburnum, Sandankwa
Juniper, Chines (var. Maneyi, Old Gold, Pfitzeriana, Sea Green, Hetzii, Nana, Torulosa, Pfitzerana Aurea, Pfitzer, Golden Pfitzer)	Wayfaring Tree
Juniper, Creeping (var. Bluechip, Huges,	

Ornamentals, Bedding Plants

Listed by common name

Alyssum	Ivy, Grape (var. Ellen Danica)
Asparagus, Myers (var. Meyeri)	Jack-in-the Pulpit
Asparagus, Sprenger (var: Sprengeri)	Jade Plant
Aster, New York	Jasmine, Madagascar
Aster, Stokes (var. Blue, White)	Lamb's Ear
Baby's Breath (var. Bristo Fairy)	Lavender, English
Begonia	Lavender, French
Bellflower, Tussock (var. Canterbury Bells)	Lavender, Cotton
Bittersweet, American	Lilac Chinese
Black-eyed Susan (var. Goldilocks)	Lilac, Common Purple (var. Charles Joly, Ludwig Spaeth, Jay Tree)
Bleeding Heart	Lilac, Meyer (var. Palibin)
Bower Vine	Lilac, Korean (var. Miss Kim)
Butterfly Weed	Lilac, Mountain
Cactus, Barrel	Lily-of-the-Nile, Peter Pan
Candytuff	Lily-of-the-Valley
Canna	Lobelia
Cassia, Feathery	Marigold
Chrysanthemum Marguarite	Mirror Plant
Cockscomb	Mirror Plant, Variegated
Coleus	Moneywort, Creeping Jenny
Coneflower, Purple (var. Gloriosa Dairy)	Moss, Rose
Coral Bells	Moss, Sandwort
Coreopsis (var. Sunray)	Pansy, Johnny-Jump-Up
Cup of Gold Vine	Pepper, Ornamental
Daffodil	Periwinkle, Madagascar
Dahlia	Petunia
Daisy Bush	Phlox, Perennial
Daisy Bush, Blue	Plantain Lily
Daisy, Shasta (var. Alaska)	Purple Loosestrife (var. Morden's Gleam)
Daylily	Raspberry Ice
Dianthus	Sage
Dragonhead, False	Sea Pinks, Thrift
Dusty Miller	Sedum, Stonecrop
Fern, Sprenger Asparagus	Shrimpliant
Fescue, Blue	Sky Flower, Brazilian
Flowering tobacco	Snail Vine
Fountain Grass, Red	Snapdragon
Gazania	Speedwell, Spike
Geranium	Statice, Perennial
Geranium, Martha Washington	Stock
Gerbera Daisy	Sweetgrass
Geum (var. Lady Strathedon, Mrs. Bradshaw, Mrs. Bradshaw Improved)	Sweet William
Gladiolus	Transvaal Daisy
Heather, False	Trumpet Vine, Blood red
Honeysuckle, Amar	Trumpet Vine, Lavender
Honeysuckle, Fly (var. Emerald Mound, Clavey's Dwarf)	Trumpet Vine, Pink
Honeysuckle, Japanese	Tulip
Honeysuckle, Morrow	Verbena
Honeysuckle, Tatarian (var. Zabeli)	Wandering Jew
Hopseed Bush, Purple	Wisteria
Impatiens	Yarrow (var. Cerise Queen)
Iris	Yarrow, Debutant
Iris, African	Yellow Trumpet
	Zinnia

Ground Covers

Listed by common name

Aaron's Beard	Ivy, Hahn's (var. Hahnii)
Aptenia (var. Red Apple)	Lantana, Lavender
Bergenia, Winter-blooming	Lily Turf, Big Blue
Bugleweed	Lippia
Capeweed	Mondo Grass
Carpathian, Harebell	Myoporum (var. Prostratum)
Cinquefoil, Spring	Pachysandra
Coyote Brush (var. Twin Peaks)	Periwinkle
Crown Vetch	Plumbago, Dwarf
Cushion Bush	Pork and Beans
Daisy, Trailing African, Freeway	Rosea Ice Plant
Daisy, White African	Rosemary, Dwarf (var: Prostratus)
Gazania, Trailing	Rupture Wort

NOTE: This is a specimen label for electronic distribution. Always refer to product label on container for specific directions for use.

Green Carpet
Ivy, Algerian
Ivy, Boston
Ivy, English
Ivy, Grape (var. Ellen Danica)

St. Johnswort, Creeping
Stonecrop, Sedum
Verbena
Verbena, Blue

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store unused product in original container only, out of reach of children and animals. Never transfer this product to another container for storage.

CONTAINER DISPOSAL: Nonrefillable container. DO NOT reuse or refill this container. **If empty:** Offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: Buyer assumes all liability, including personal injury and property damage which may result from the use of this product in a manner inconsistent with labeling directions. If these terms are not acceptable, return at once unopened.

CONDITIONS OF SALE AND WARRANTY

The Directions For Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of Lawn and Garden Products, Inc. or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

Lawn and Garden Products, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions For Use, subject to the inherent risks referred to above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LAWN AND GARDEN PRODUCTS, INC. MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND LAWN AND GARDEN PRODUCTS' EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LAWN AND GARDEN PRODUCTS, INC. AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

Lawn and Garden Products, Inc. and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of Lawn and Garden Products, Inc.

BASF-022510
0397/0410(03)