

Grass Getter®

use of gastric lavage. Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

Postemergence Grass Herbicide

- Intended for residential use on and around Flowers, Evergreens, Ornamental Groundcovers, Bedding Plants, Shrubs, Trees, Fruits*, Vegetables* (*See Table 2. Fruits and Vegetables for specific crops).
- Systematic selective herbicide kills weedy grasses without injuring desirable plants.
- Controls: Bermudagrass, crabgrass, foxtail, quackgrass and many other weedy grasses.



Active Ingredient:

Sethoxydim: 2-[1-(ethoxyimino)butyl]-5-[2-(ethylthio)propyl]-3-hydroxy-2-cyclohexen-1-one** 18.0%
 Other Ingredients 82.0%
 Total: 100.0%

**Equivalent to 1.5 pounds of sethoxydim per gallon formulated as an emulsifiable concentrate.

Contains petroleum distillate.

® Grass Getter is a registered trademark of Lawn and Garden Products, Inc.

EPA Reg. No. 7969-58-54705

EPA Est. No. 48498-CA-1

ATTENTION: This product contains a chemical(s) known to the State of California to cause cancer and birth defects or other reproductive harm.

NET CONTENTS: ½ Pint, 1 Pint or 1 Gallon

Manufactured for:
Lawn and Garden Products, Inc.
 P.O. Box 35000 • Fresno, CA 93745 • (559) 499-2100
 info@montereylawnandgarden.com

KEEP OUT OF REACH OF CHILDREN WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID

If In Eyes:	<ul style="list-style-type: none"> • Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eyes. • Call a poison control center or doctor for treatment advice.
If On Skin Or Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • DO NOT give any liquid to the person. • DO NOT induce vomiting unless told to do so by a poison control center or doctor. • DO NOT give anything by mouth to an unconscious person.
If Inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably by mouth to mouth, if possible. • Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

Warning: Causes substantial but temporary eye injury. Causes skin irritation. Harmful if absorbed through skin or swallowed. **DO NOT** get in eyes, on skin, or on clothing. Wear long-sleeved shirt, long pants, chemical-resistant gloves made of any waterproof material, protective eyewear, shoes, and socks. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Re-entry Statement: **DO NOT** allow people or pets to come into contact with treated areas until spray has dried.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms. To protect the environment, **DO NOT** allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

ENDANGERED SPECIES CONCERNS

The use of any pesticide in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of Federal law.

PHYSICAL AND CHEMICAL HAZARDS

COMBUSTIBLE. DO NOT use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with this labeling.

READ ENTIRE LABEL BEFORE USING THIS PRODUCT.

GRASS GETTER is a selective systemic grass killer to eliminate existing weedy grasses growing in and around plant beds, landscapes, and individual shrubs and trees (See **Tolerant Plants**). GRASS GETTER can be used through a hose-end sprayer according to the directions of the sprayers used or through a tank-type sprayer.

GRASS GETTER can also be used around listed fruit and vegetable areas (see **Table 2**) wherever listed weedy grasses occur. Use only tank type sprayers.

WEEDY GRASSES CONTROLLED: GRASS GETTER kills most annual and hard-to-kill perennial grasses up to 1-foot high, including the following examples, in one or two applications. Younger, actively growing seedling weeds are more easily killed than older, mature, well-established grassy weeds that may require a repeat application for control. Adding oil concentrate may help control grassy weeds.

Barnyardgrass	Orchardgrass, Seedling
Bermudagrass	Quackgrass
Broadleaf Signalgrass	Tall Fescue, Seedling
Crabgrass, (Large, Smooth)	Texas Panicum
Fall Panicum	Shattercane/Wildcane
Foxtails (Giant, Green, Yellow)	Wild Proso Millet
Goosegrass	Wirestem Muhly
Johnsongrass (Seedling, Rhizome)	Witchgrass
Junglerice	Woolly cupgrass
Lovegrass	

Note: This product does not control sedge (including nutsedge or nutgrass), annual bluegrass, or broadleaf weeds. Red fescue, chewings fescue, hard fescue, and dichondra turfs are also tolerant to GRASS GETTER.

APPLICATION TIMING: Apply when grassy weeds are actively growing, not exceeding the minimum of days from application to harvest when used on vegetables and fruits. Warm sunny weather will accelerate systemic movement from leaves and stems down to the roots to give complete kill. **DO NOT** mow or cut off tops of weeds before spraying. **DO NOT** apply if rainfall is expected within one hour following application. Growth of treated grass stops soon after application. Grass turns yellow and dies within one to three weeks depending on the grass species, stage of growth and weather conditions. Cool weather, drought and heat stress slow activity.

TABLE 1. GRASS GETTER (CONCENTRATE) AND OIL CONCENTRATE DILUTION

Water (gallons)	Grass Getter®		Oil Concentrate*		Coverage (Square Feet)
	Fluid Ounces	Tablespoons	Fluid Ounces	Tablespoons	
1	1	2	1	2	1,800
3	3	6	3	6	5,400
5	5	10	5	10	9,000
8	8	16	8	16	14,400

One gallon of spray will treat 1,800 square feet.

*To prevent leaf burn of desirable plants, **DO NOT** use oil concentrate when comfort index (temperature °F + humidity) exceeds 150.

HOSE-END SPRAYER APPLICATION

Water Dilution/Premixing Not Needed

Determine the area to treat in square feet. Pour 1 fluid ounce GRASS GETTER and 1 fluid ounce oil concentrate in the hose-end sprayer bottle for each 1800 square feet treated. Apply 1 fluid ounce per gallon. After application, wash the sprayer with a dilute soap solution and rinse according to the sprayer instructions.

Water Dilution/Premixing Needed

Some hose-end applicators recommend pre-mixing liquid products with water before pouring into the sprayer bottle. Read the hose-end sprayer instructions for treatments at 1 fluid ounce per 1800 square feet. Clean the sprayer after use according to the sprayer instructions.

TANK SPRAYER APPLICATION

Mix 1 fluid ounce GRASS GETTER plus 1 fluid ounce oil concentrate per 1 gallon water; spray to just wet the unwanted weedy grasses. One gallon of spray will treat 1800 square feet. Wash sprayer by flushing soapy water through the sprayer; then flushing clean water through the sprayer.

IMPORTANT: For spot treating grassy weeds near lawns and around sensitive plants, a tank-type sprayer is recommended. Spray carefully to avoid spray or drift contact with desirable plants. If drift occurs, wash foliage immediately with water.

FLOWERS, BEDDING PLANTS, EVERGREENS, SHRUBS, TREES AND ORNAMENTAL GROUNDCOVERS: GRASS GETTER may be applied over the top of desirable plants infested by weedy grasses, or as a directed spray to weedy grasses at labeled rates. **DO NOT** exceed dosage rate per gallon of spray. Most ornamental species tested have been found tolerant to GRASS GETTER (see **Tolerant Plants** list). However, use with caution around the following plants as they may be damaged if spray contacts foliage: Azaleas (var. snow), Japanese Privet, Potentilla, Snow in Summer, Red Oak, White Oak, and ornamental grass.

GRASS GETTER may also be used on the following non-bearing food plants. **DO NOT** apply within 1 year of harvest.

Avocados	Olives	Pomegranates
Dates	Plums	Prunes
Figs		

FRUITS AND VEGETABLES (Use Only with Tank Type Sprayers):

Use GRASS GETTER on the fruits and vegetables listed in **Table 2. Fruits and Vegetables**. **DO NOT** apply on or around any fruits and vegetables not listed on this label, especially sweet corn. Apply on and around tolerant fruits and vegetables with a tank-type sprayer only. A second application may be made to all listed fruits and vegetables except peanut, root vegetables, and strawberry.

The quantities presented in **Table 1. GRASS GETTER (CONCENTRATE) AND OIL CONCENTRATE DILUTION** do not exceed the registered rates for the fruits and vegetables listed. **DO NOT** exceed the quantities presented.

Table 2. FRUITS AND VEGETABLES

CROP	Minimum time from last application to harvest (days)
Apple	14
Apricot	25
Artichoke (California Only)	7
Asparagus	1
Beans, dry	30
Beans, green	15
Beet (garden)	60
Blackberry	45
Blueberry ¹	30
Broccoli	30
Cabbage	30
Cantaloupe	14
Carrots	30
Cauliflower	30
Celery	30
Cherries (sweet and sour)	25
Citrus	15
Crabapple	14
Cranberries ¹	60
Cucumber	14
Dill ¹	14
Eggplant	20
Endive (Florida only)	15
Grape	50
Horseradish	60
Lentils ¹	50
Lettuce, head	30
Lettuce, leaf	15
Loganberry	45
Mint	20
Muskmelon	14
Nectarine	25
Okra ¹	14
Onion, garlic	30
Peach	25
Peanut ²	40
Pear	14

Peas, dry	30
Peas, green	15
Pepper	20
Potato	30
Pumpkin	14
Quince	14
Raspberry	45
Root Vegetables ^{1,2}	
(except Sugar Beet)	14
Black Salsify	
Celeriac	
Chervil, turnip-rooted	
Chicory	
Edible Burdock	
Ginseng	
Oriental Radish	
Parsley, turnip-rooted	
Parsnip	
Radish	
Rutabaga	
Salsify	
Skirret	
Spanish Salsify	
Turnip	
Spinach	15
Squash (all)	14
Strawberry ²	7
Tomato	20
Tree Nuts	15
Watermelon	14

¹Not for use in California

²Use no more than one application per season. Up to 2 applications per season may be made on all other plants.

TOLERANT PLANTS

Common Name (Scientific Name)

Trees

Acacia, Knife Leaf (<i>Acacia cultriformis</i>)	Myoporium (<i>Myoporum laetum</i>)
Arborvitae, Eastern (var. Teehny) (<i>Thuja occidentalis</i>)	New Zealand Christmas tree (<i>Metrosideros excelsus</i>)
Arborvitae, Berkman's, Oriental (<i>Thuja orientalis</i>)	Oak (<i>Quercus</i> sp.)
(<i>Platyclusus orientalis</i>)	Oak, Water (<i>Quercus nigra</i>)
Ash, Green (<i>Fraxinus pennsylvanicum</i>)	Oak, Willow (<i>Quercus phellos</i>)
Ash, Mountain (<i>Sorbus aucuparia</i>)	Olive Tree (<i>Olea europaea</i>)
Ash, Mountain (<i>Sorbus Americana decora</i>)	Olive, Russian (<i>Elaeagnus angustifolia</i>)
Ash, White (<i>Fraxinus Americana</i>)	Orchid tree, Purple (<i>Bauhinia variegata</i>)
Basswood, American (<i>Tilia Americana</i>)	Osage Orange (<i>Maclura pomifera</i>)
Berkmans, Oriental (<i>Thuja orientalis</i>)	Palm, Mediterranean Fan (<i>Chamaerops humilis</i>)
Birch (<i>Betula</i> sp.)	Palm, Pygmy Date (<i>Phoenix roebelenii</i>)
Birch, Asian White (var. <i>Japonica</i>) (<i>Betula platyphylla</i>)	Palm, Queen (<i>Arecastrum romanzoffianum</i>)
Birch, European White (<i>Betula pendula</i>)	Palm, Sago (<i>Cycas revoluta</i>)
Birch, paper (<i>Betula papyrifera</i>)	Palm, Windmill (<i>Tracheocarpus fortunei</i>)
Birch, River, Black or Red (<i>Betula nigra</i>)	Palo Verde, Green (<i>Parkinsonia aculeata</i>)
Black Locust (<i>Robinia pseudoacacia</i>)	Paulownia Royal (<i>Paulownia tomentosa</i>)
Bottle-brush (<i>Callistemon lanceolatus</i>)	Pear, Common (<i>Pyrus communis</i>)
(<i>Callistemon citrinus</i>)	Pear, Evergreen (<i>Pyrus kawakamii</i>)
Bottle Tree (<i>Brachychiton populneus</i>)	Pear, Ussurian (<i>Pyrus ussuriensis</i>)
Brisbane Box Tree (<i>Tristania conferta</i>)	Pepper, Brazilian (<i>Schinus terebinthifolius</i>)
Cajeput Tree (<i>Melaleuca quinquenervia</i>)	Pine, Aleppo (<i>Pinus halepensis</i>)
Carob Tree (<i>Ceratonia siliqua</i>)	Pine, Austrian (<i>Pinus nigra</i>)
Carrot Wood (<i>Cupaniopsis anacardioides</i>)	Pine, Canary Island (<i>Pinus canariensis</i>)
Catalpa, Southern (<i>Catalpa bignonioides</i>)	Pine, Caribbean Slash (<i>Pinus caribaea</i>)
Cherry, Black (<i>Prunus serotina</i>)	Pine, Italian Stone (<i>Pinus pinea</i>)
Cherry, Carolina (<i>Prunus caroliniana 'compacta'</i>)	Pine, Jack (<i>Pinus banksiana</i>)
Crabapple, Flowering (var. Dalgo, Radiant, Red Splendor, Royalty, Vanguard, Sylvestris, Domestic)	Pine, Japanese

(<i>Malus</i> sp.)	(<i>Pinus parviflora</i>)	Acacia, Knife Leaf	(var. <i>Compacta</i>) (<i>Juniperus conferta</i>)
Cypress, False	Pine, Japanese Black	(<i>Acacia cultriformis</i>)	Juniper, Tam
(<i>Chamaecyparis pisifera</i>)	(<i>Pinus thunbergii</i>)	Acacia, Prostrate	(var. <i>Tamariscifolia</i>) (<i>Juniperus sabina</i>)
Cypress, Italian	Pine, Loblolly	(<i>Acacia redolens</i>)	Lantana, Purple Trailing
(<i>Cupressus sempervirens</i>)	(<i>Pinus taeda</i>)	Acacia, Sydney Golden Wattle	(<i>Lantana montevidensis</i>)
Cypress, Leyland	Pine, Mugo	(<i>Acacia longifolia</i>)	Laurustinus
(<i>Cupressocyparis leylandii</i>)	(<i>Pinus mugo</i>)	Andromeda	(<i>Viburnum tinus</i>)
Dogwood, Flowering	Pine, Ponderosa	(<i>Pieris japonica</i>)	Lemonade Sumac
(<i>Cornus florida</i>)	(<i>Pinus ponderosa</i>)	Arborvitae, Oriental	(<i>Rhus integrifolia</i>)
Dogwood, Pagoda	Pine, Red	(<i>Platycladus orientalis</i>)	Lilac, common purple
(<i>Cornus alternifolia</i>)	(<i>Pinus resinosa</i>)	Arrowwood, Southern	(<i>Syringa vulgaris purpurea</i>)
Dogwood, Silky	Pine, Scotch	(<i>Viburnum dentatum</i>)	Liriope, Green
(<i>Cornus amomum</i>)	(<i>Pinus sylvestris</i>)	Azalea, Mollis Hybrid	(<i>Liriope muscari</i>)
Elm, Chinese Evergreen	Pine, shore	(<i>R. x kosterianum</i>)	Liriope, Variegated
(<i>Ulmus parvifolia</i>)	(<i>Pinus contra</i>)	Azalea, Northern Lights Hybrid	(<i>Liriope muscari</i>)
Eucalyptus	Pine, Slash	(<i>R. x kosterianum x R. prinophyllum</i>)	Mickey Mouse Bush
(<i>Eucalyptus robusta</i> , <i>E. lehmannii</i> , <i>E. nicholii</i> , <i>E. grandis</i>)	(<i>Pinus elliottii</i>)	Bamboo, Heavenly	(<i>Ochna serrulata</i>)
Fir	Pine, Southern	(<i>Nandina domestica</i>)	Mirror plant, Creeping
(<i>Abies</i> sp.)	(<i>Pinus palustris</i>)	Barberry, Japanese	(<i>Coprosma repens</i>)
Fir, Douglas	Pine, Virginia	(<i>Berberis thunbergii</i>)	Mock Orange
(<i>Pseudotsuga menziesii</i>)	(<i>Pinus virginiana</i>)	Barberry, Korean	(<i>Pittosporum tobira</i>)
Fir, Frasier	Pine, Western yellow	(<i>Berberis koreana</i>)	Mountain Lilac, Carmel Creeper
(<i>Abies fraseri</i>)	(<i>Pinus ponderosa</i>)	Barberry, Redleaf	(<i>Ceanothus griseus</i>)
Fir, White	Pine, White	(<i>Berberis virginiana</i>)	Myrtle, Dwarf
(<i>Abies concolor</i>)	(<i>Pinus parviflora</i>)	Bird of Paradise Bush	(<i>Myrtus communis compacta</i>)
Goldenrain Tree	Pine, White	(<i>Caesalpinia gilliesii</i>)	Nandina, Heavenly Bamboo
(<i>Koeleruteria paniculata</i>)	(<i>Pinus strobus</i>)	Bluebeard	(<i>Nandina domestica</i>)
Guava	Pine, Yew	(<i>Caryopteris clandonensis</i>)	Nannyberry
(<i>Psidium littorale</i>)	(<i>Podocarpus macrophyllum</i>)	Boxwood, African	(<i>Viburnum lantago</i>)
Guava, Pineapple	Plum, Wild	(<i>Myrsine africana</i>)	Ninebark
(<i>Feijoa sellowiana</i>)	(<i>Prunus Americana</i>)	Boxwood, Common	(<i>Physocarpus opulifolius</i>) (var. <i>Aureus</i>) (<i>Physocarpus opulifolius</i> var. <i>opulifolius</i>)
Gum, Blue	Poplar, Hybrid	(<i>Buxus sempervirens</i>)	Oleander
(<i>Eucalyptus globulus</i>)	(<i>Populus alba</i>)	Boxwood, Japanese	(<i>Nerium oleander</i>)
Gum, Lemon-scented	Poplar, Tuliptree	(var. <i>Japonica</i>) (<i>Buxus microphylla</i>)	Orchid, Rockrose
(<i>Corymbia citriodora</i>)	(<i>Liriodendron tulipifera</i>)	Buckthorn, Alder	(<i>Cistus purpureus</i>)
(<i>Eucalyptus citriodora</i>)	Popular, Yellow	(<i>Rhamnus frangula</i>)	Oregon Grape
Gum, Red Box	Purpleleaf, Bailey Acacia	Buckthorn, Glossy	(<i>Mahonia aquifolium</i>)
(<i>Eucalyptus polyanthemos</i>)	(<i>Acacia baileyana</i>)	(<i>Rhamnus frangula</i>)	Osmanthus, Holly-leaf
Hackberry, Common	Redwood, Coast	Camellia	(<i>Osmanthus heterophyllum</i>)
(<i>Celtis occidentalis</i>)	(<i>Sequoia sempervirens</i>)	(<i>Camellia japonica</i>) (<i>Camellia sasanqua</i>)	Osmanthus, Sweet Olive
Hemlock, Canadian	Sandcherry, Western	Cedar	(<i>Osmanthus fragrans</i>)
(<i>Tsuga Canadensis</i>)	(<i>Prunus besseyi</i>)	(<i>Juniperus virginiana</i>)	Palm, Natal
Holly, Chinese	Sensitive Plant	Cedar, Eastern red	(var. <i>Green carpet tittle</i>) (<i>Carissa grandiflora</i>)
(var. <i>Bufordii</i> , <i>Rotunda</i>)	(<i>Mimosa pudica</i>)	(var. <i>Pyramidiformus</i> , <i>canearl</i>)	Pampas Grass
(<i>Ilex cornuta</i>)	Silktree	Cherry, Brush	(<i>Cortaderia selloana</i>)
Holly, Hybrid	(<i>Albizia julibrissin</i>)	(<i>Eugenia myrtifolia</i>)	Photinia
(var. <i>Nellie Stevens</i>)	Spruce, Black Hills	Cherry, Manchu	(<i>Photinia sp.</i>)
(<i>Ilex spares</i>)	(var. <i>Densata</i>) (<i>Picea glauca</i>)	(<i>Prunus tomentosa</i>)	Photinia, Fraser
Holly, Japanese (var. <i>Convexa</i> , <i>Compacta</i> , <i>Helleri</i> , <i>Hoogendorn</i>)	Spruce, Colorado blue	(<i>Euphorbia cotinifolia</i>)	(<i>Photinia fraser</i>)
(<i>Ilex crenata</i>)	(<i>Picea pungens</i>)	Cotoneaster, Bearberry	Pinklady
Holly, Yaupon	Spruce, Norway	(<i>Cotoneaster dammerii</i>)	(<i>Rhaphiolepis indica</i>)
(<i>Ilex vomitoria</i>)	(<i>Picea abies</i>)	Cotoneaster, Cranberry	Pink Powder Puff
Ironbark, Red	Spruce, White	(<i>Cotoneaster apiculata</i>)	(<i>Calliandra haematocephala</i>)
(<i>Eucalyptus sideroxylon</i>)	(<i>Picea glauca</i>)	Cotoneaster, 'lowfast' Peking	Pittosporum, Variegated Japanese
Jacaranda	Strawberry Tree	(<i>Cotoneaster acutifolius</i>)	(<i>Pittosporum tobira variegata</i>)
(<i>Jacaranda mimosifolia</i>)	(<i>Arbutus unedo</i>)	Coyote Bush	Plumbago, Cape
Kentucky Coffee Tree	Sumac, African	(<i>Baccharis pilularis</i>)	(<i>Plumbago capensis</i>)
(<i>Gymnocladus dioica</i>)	(<i>Rhus lancea</i>)	Cranberry Bush, American	Podocarpus, Yew
Larch, European	Sumac, Standard	(<i>Viburnum trilobum</i>)	(<i>Podocarpus macrophyllum</i>)
(<i>Larix Europa</i>)	(<i>Rhus lancea</i>)	Cranberry Bush, Golden	Princess Flower
Laurel, Indian	Sweetgum	(<i>Viburnum opulus aureum</i>)	(<i>Tibouchina urvilleana</i>)
(<i>Ficus microcarpa nitida</i>)	(<i>Liquidambar stryaciflua</i>)	Crape Myrtle	Privet
Linden	Sycamore	(<i>Lagostroma indica</i>)	(<i>Ligustrum indica</i>)
(<i>Tilia Americana</i>)	(<i>Platanus occidentalis</i>)	Currant, alpine	Privet, Glossy
Linden, Littleleaf	Teatree, Australian	(<i>Ribes alpinum</i>)	(var. <i>Lake Tresca</i>) (<i>Ligustrum lucidum</i>)
(<i>Tilia cordata</i>)	(<i>Leptospermum laevigatum</i>)	Dogwood, Red Osier	Privet, Japanese
Locust, Honey	Tipu Tree	(<i>Cornus stolonifera</i>)	(<i>Ligustrum japonicum</i>)
(<i>Gleditsia triacanthos inermis</i>)	(<i>Tipuana tipu</i>)	Elaeagnus	Privet, Texas
Loquat	Walnut Black	(<i>Elaeagnus umbellata</i>)	(<i>Ligustrum texanum</i>)
(<i>Eriobotrya japonica</i>)	(<i>Juglans nigra</i>)	Escallonia	Privet, Waxleaf
Magnolia, Southern	Weeping Fig, Exotica	(<i>Escallonia fradesii</i>) (<i>Escallonia rubia</i>)	(<i>Ligustrum japonicum</i>)
(<i>Magnolia grandiflora</i>)	(<i>Ficus benjamina</i>)	Euonymus	Purple Hop Bush
Maple, Japanese	Willow	(<i>Euonymus japonica</i>)	(<i>Dodonaea viscosa</i>)
(<i>Acer palmatum</i>)	(<i>Salix matsudana tortuosa</i>)	Euonymus, Evergreen	Pyracantha
Maple, Red	Willow, Australian	(var. <i>Golden</i> , <i>Silver king</i>)	(<i>Pyracantha graberii</i>)
(<i>Acer rubrum</i>)	(<i>Gejera parviflora</i>)	Euonymus, Winged	Rhododendron sp.
Maple, Silver	Willow, Desert	(<i>Euonymus alata</i>)	(Rhododendron – Azalea)
(<i>Acer saccharinum</i>)	(<i>Pittosporum phillyreoides</i>)	Fig, Creeping	(var. <i>Hinocrimson</i> , <i>Hershey red</i> , <i>Coral blue</i> , <i>Hinodigiri</i> , <i>Christmas</i> <i>cheer</i> , <i>Pink ruffle</i> , <i>Formosa flame</i> , <i>Delaware Valley white</i> , <i>New white</i>)
Mimosa Tree (silktree)	Willow, Peppermint	(<i>Ficus repens</i>)	Sandcherry, Purpleleaf
(<i>Albizia julibrissin</i>)	(<i>Agonis flexuosa</i>)	Firethorn	(<i>Prunus cistena</i>)
	Yate, Bushy	(<i>Pyracantha graberii</i>)	Serviceberry, Allegheny
	(<i>Eucalyptus lehmannii</i>)	Forsythia, Greenstem	(<i>Amelanchier laevis</i>)
	Yew, English	(<i>Forsythia viridissima bronxensis</i>)	Serviceberry, Saskatoon
	(<i>Taxus baccata</i>)	Flax, New Zealand	(var. <i>Regent</i>) (<i>Amelanchier alnifolia</i>)
		(<i>Phormium tenax</i>)	Silver King
		Fuchsia, Australian	(<i>Euonymus japonica</i>)
		(<i>Correa pulchella</i>)	Sky Flower, Brazilian
		Gardenia	(<i>Duranta stenostachya</i>)
		(var. <i>Mystery</i> , <i>Radicans</i>) (<i>Gardenia augusta</i>) (<i>Gardenia jasminoides</i>)	

Common Name (Scientific Name)

Shrubs

Abelia, Glossy	Juniper, Savin
(<i>Abelia grandiflora</i>)	(var. <i>Skandia</i> , <i>Arcadia</i> , <i>Broadmoor</i> , <i>Buffalo</i> , <i>Pepin</i>) (<i>Juniperus sabina</i>)
Acacia, Bailey	Juniper, Shore
(<i>Acacia baileyana</i>)	

Gardenia, Dwarf (var. <i>Veitchii</i>) (<i>Gardenia jasminoides</i>)	Snowball Bush (<i>Viburnum opulus sterilis</i>)	(<i>Chrysanthemum frutescens</i>) (<i>Chrysanthemum indicum</i>)	(<i>Lobelia erinus</i>)
Gold Vine, Guinea (<i>Hibbertia scandens</i>)	Spindle Tree (<i>Euonymus kiautschovica</i>)	Cockscomb (<i>Celosia argentea</i>) (Canna)	Marigold (<i>Tagetes</i> sp.)
Hakea (<i>Hakea proteacea</i>)	Spiraea (<i>Spiraea vanhouttei</i>) (var. Anthony Waterer, Froebellii, Goldflame)	Coleus (<i>Coleus blumei</i>)	Mirror Plant (<i>Coprosma baueri</i>)
Hawthorn, Indian (<i>Raphiolepis indica</i>)	(<i>Spiraea bumalda</i>) (var. Fairy Queen) (<i>Spiraea trilobataiovica</i>)	Coneflower, Purple (var. <i>Gloriosa Dairy</i>) (<i>Echinacea purpurea</i>)	Mirror Plant, Variegated (<i>Coprosma repens</i>)
Hibiscus, Blue (<i>Alyogyne huegelli</i>)	(var. Snowbound) (<i>Spiraea nipponicaiovica</i>)	Coral Bells (<i>Heuchera sanguinea</i>)	Moneywort, Creeping Jenny (<i>Lysimachia nummularia</i>)
Hibiscus, Chinese (<i>Hibiscus rosa-sinensis</i>)	Star plant, Lavender (<i>Grewia occidentalis</i>)	Coreopsis (var. Sunray) (<i>Coreopsis lanceolata</i>)	Moss, Rose (<i>Portulaca grandiflora</i>)
Holly, Dwarf Burford (var. <i>Burfordii Nana</i>) (<i>Ilex cornuta</i>)	Teatree, Australian (<i>Leptospermum laevigatum</i>)	Cup of Gold Vine (<i>Solandra maxima</i>)	Moss, Sandwort (<i>Arenaria verna</i>)
Honeysuckle, Bush (<i>Diervilla lonicera</i>)	Teatree, New Zealand (var. Red Glow) (<i>Leptospermum scoparium</i>)	Daffodil (<i>Narcissus</i> spp.)	Pansy, Johnny-jump-up (<i>Viola tricolor</i>)
Honeysuckle, Cape (<i>Tecomaria capensis</i>)	Texas Ranger (<i>Leucophyllum frutescens</i>)	Dahlia (<i>Dahlia pinnata</i>)	Pepper, Ornamental (<i>Capsicum</i> sp.)
Hydrangea (<i>Hydrangea macrophylla</i>)	Toyon, California Holly (<i>Heteromeles arbutifolia</i>)	Daisy Bush (<i>Euryops pectinatus</i>)	Periwinkle, Madagascar (<i>Catharanthus roseus</i>) (<i>Vinca minor</i>)
Jasmine, Asiatic (<i>Trachelospermum asiaticum</i>)	Trumpet Vine, Pink (<i>Pandorea rosea</i>)	Daisy Bush, Blue (<i>Felicia amellioides</i>)	Petunia (<i>Petunia</i> sp.)
Jasmine, Orange (<i>Murraya paniculata</i>)	Veronica (<i>Hebe 'Coed'</i>)	Daisy, Shasta (var. Alaska) (<i>Chrysanthemum maximum</i>)	Phlox, Perennial (<i>Phlox paniculata</i>)
Jasmine, Star (<i>Trachelospermum jasminoides</i>)	Viburnum, Japanese (<i>Viburnum japonicum</i>)	Daylily (<i>Hemerocallis</i> hybrids)	Plantain Lily (<i>Hosta</i> sp.)
Jasmine, Winter (<i>Jasminum nudiflorum</i>)	Viburnum, Sandankwa (<i>Viburnum suspensum</i>)	Dianthus (<i>Dianthus deltoides</i>)	Purple Loosestrife (var. Morden's Gleam) (<i>Lythrum virgatum</i>)
Jessamine, Carolina (<i>Gelsemium sempervirens</i>)	Wayfaring Tree (<i>Viburnum lantanoides</i>)	Dragonhead, False (<i>Physostegia virginiana</i>)	Raspberrry Ice (<i>Bougainvillea</i> sp.)
Jojoba (<i>Simmondsia chinensis</i>)	Weeping Fig, Exotica (<i>Ficus benjamina</i>)	Dusty Miller (<i>Centaurea cineraria</i>)	Sage (<i>Salvia greggii</i>)
Juniper, Chinese (var. <i>Maneyi</i> , Old gold, Pfitzeriana, Sea green, Hekii, Nana, Torulosa, Pfitzeriana Aurea, Pfitzer, Golden Pfitzer) (<i>Juniperus chinensis</i>)	Wheeler's Dwarf, Variegated (var. Wheeler) (<i>Pittosporum tobira</i>)	Fern, Sprenger's Asparagus (<i>Asparagus densiflorus sprengeri</i>)	Sea Pinks, Thrift (<i>Armeria maritima</i>)
Juniper, Creeping (var. Bluechip, Hughes, Plumosa, Prince of Wales, Webberi, Wiltonii, Bar Harbor, Andorra, Variegata, Youngstown blue rug) (<i>Juniperus horizontalis</i>)	Yellow Bells (<i>Tecoma stans</i>)	Fescue, Blue (<i>Festuca ovina</i>)	Sedum, Stonecrop (<i>Sedum x rubrotinctum</i>) (Lavender cotton)
Juniper, Ozark (<i>Juniperus</i> sp.)	Yesterday-today-and-tomorrow (<i>Brunfelsia calycina</i>)	Flowering tobacco (<i>Nicotiana</i> sp.)	Shrimpplant (<i>Justicia brandegeana</i>)
Juniper, Rocky Mountain (var. Blue heaven, Welchii, Wichita Blue, Medova, Moffet, Pyramidal green, Springtime, Admiral) (<i>Juniperus scopulorum</i>)	Yew (<i>Taxus cuspidata vigatum</i>)	Fontainegrass, Red (<i>Pennisetum setaceum</i>)	Sky Flower, Brazilian (<i>Duranta stenostachya</i>)

Common Name (Scientific Name)

Ornamentals and Bedding Plants

Alyssum (<i>Alyssum</i> sp.)	Iris (<i>Iris</i> sp.)
Asparagus, Myers (var. Meyer) (<i>Asparagus densiflorus</i>)	Iris, African (<i>Diates bicolor</i>)
Asparagus, Sprenger's (var. Sprenger) (<i>Asparagus densiflorus</i>)	Ivy, Grape (var. Ellen Danica) (<i>Cissus rhombifolia</i>)
Aster, New York (<i>Aster novi-belgii</i>)	Jack-in-the-pulpit (<i>Arisaema pusillum</i>) (Mrs. Bradshaw Improved)
Aster, Stokes (var. Blue, White) (<i>Stokesia cyanae</i>)	Jade Plant (<i>Crassula argentea</i>)
Baby's Breath (var. Bristo Fairy) (<i>Gypsophila paniculata</i>)	Jasmine, Madagascar (<i>Stephanotis floribunda</i>)
Begonia (<i>Begonia semperflorans</i>)	Lamb's ear (<i>Stachys lanata</i>)
Bellflower, Tussock (var. Canterbury Bells) (<i>Campanula Carpatica</i>)	Lavender, English (<i>Lavandula vera</i>)
Bittersweet, American (<i>Celastrus scandens</i>)	Lavender, French (<i>Lavandula dentata</i>)
Black-eyed Susan (var. Goldilocks) (<i>Rudbeckia hirta</i>)	Lavender, Cotton (<i>Santolina chamaecyparissus</i>)
Bleeding Heart (<i>Dicentra spectabilis</i>)	Lilac, Chinese (<i>Syringa chinensis</i>)
Bower Vine (<i>Pandorea jasminoides</i>)	Lilac, Common Purple (var. Charles Joly, Ludwig Spaeth, Jay tree) (<i>Syringa vulgaris purpurea</i>)
Butterfly Weed (<i>Asclepias tuberosa</i>)	Lilac, Meyer (var. <i>Palibin</i>) (<i>Syringa</i> sp.)
Cactus, Barrel (<i>Echinocactus</i> sp.)	Lilac, Korean (var. Miss Kim) (<i>Syringa patula</i>)
Candytuft (<i>Iberis sempervirens</i>) (<i>Iberis amara</i>)	Lilac, Mountain (<i>Ceanothus griseus</i>)
Canna (<i>Canna</i> sp.)	Lily-of-the-Nile, Peter Pan (<i>Agapanthus africanus</i>)
Cassia, Feathery (<i>Cassia artemisioides</i>)	Lily-of-the-Valley (<i>Convallaria majalis</i>)
Chrysanthemum, Marguerite	Lobelia

Common Name (Scientific Name)

Ground Covers

Aaron's Beard (<i>Hypericum calycinum</i>)	Ivy, Hahn's (var. Hahnii) (<i>Hedera helix</i>)
Aptenia (var. Red Apple) (<i>Aptenia cordifolia</i>)	Lantana, Lavender (<i>Lantana montevidensis</i>)
Bergenia, Winter-blooming (<i>Bergenia crassifolia</i>)	Lilyturf, Big Blue (<i>Liriope muscari</i>)
Bugleweed (<i>Ajuga reptans</i>)	Lippia (<i>Phyla nodiflora</i>)
Capeweed	Mondo Grass

(<i>Arctotheca calendula</i>)	(<i>Ophiopogon japonicus</i>)
Carpadian, Harebell	Myoporium
(<i>Campanula carpatica</i>)	(var. <i>Prostratum</i>) (<i>Myoporium</i>
Cinquefoil, Spring	<i>parvifolium</i>)
(<i>Potentilla tabernaemontani</i>)	Pachysandra
Coyotebrush	(<i>Pachysandra terminalis</i>)
(var. <i>Twin Peaks</i>)	Periwinkle
(<i>Baccharis pilularis</i>)	(<i>Vinca major</i>)
Crownvetch	Plumbago, Dwarf
(<i>Coronilla varia</i>)	(<i>Ceratostigma plumbaginoides</i>)
Cushion Bush	Pork and Beans
(<i>Calocephalus brownii</i>)	(<i>Sedum rubrotinctum</i>)
Daisy, Freeway	Rosea Ice Plant
(<i>Osteospermum</i>)	(<i>Drosanthemum floribundum</i>)
Daisy, Trailing African	Rosemary, Dwarf
(<i>Osteospermum</i>)	(var. <i>Prostratus</i>) (<i>Rosmarinus</i>
Daisy, White African	<i>officinalis</i>)
(<i>Osteospermum fruticosum alba</i>)	Rupture Wort
Gazania, Trailing	(<i>Herniaria glabra</i>)
(<i>Gazania regens leucolaena</i>)	St. Johnswort, Creeping
Green Carpet	(<i>Hypericum calycinum</i>)
(<i>Herniaria glabra</i>)	Stonecrop, Sedum
Ivy, Algerian	(<i>Sedum rubrotinctum</i>)
(<i>Hedera canariensis</i>)	Verbena
Ivy, Boston	(<i>Verbena officinalis</i>)
(<i>Parthenocissus tricuspidata</i>)	Verbena, Blue
Ivy, English	(<i>Verbena peruviana</i>)
(<i>Hedera helix</i>) (var. <i>California</i>)	
Ivy, Grape	
(var. <i>Ellen Danica</i>) (<i>Cissus</i>	
<i>rhombifolia</i>)	

STORAGE AND DISPOSAL

PESTICIDE STORAGE: DO NOT allow this product to freeze. **DO NOT** store below 32°F or above 100°F. Store unused product in original container only, out of reach of children and animals. **NEVER TRANSFER THIS PRODUCT TO ANOTHER CONTAINER FOR STORAGE.**

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. DO NOT reuse or refill this container. **If empty:** Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTE: Buyer assumes all liability, including personal injury and property damage which may result from the use of this product in a manner inconsistent with labeling directions. If these terms are not acceptable, return at once unopened.

CONDITIONS OF SALE AND WARRANTY

The Directions For Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of Lawn and Garden Products, Inc. or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

Lawn and Garden Products, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions For Use, subject to the inherent risks referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LAWN AND GARDEN PRODUCTS, INC. MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND LAWN AND GARDEN PRODUCTS' EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LAWN AND GARDEN PRODUCTS, INC. AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

Lawn and Garden Products, Inc. and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of Lawn and Garden Products, Inc.