



**1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

**Product Name:** Monterey Remuda® Extended Control RTU

**EPA Reg. No.:** 228-514-54705

**Product Type:** Herbicide

**Company Name:** Lawn and Garden Products, Inc.  
PO Box 35000  
Fresno, CA 93745  
1-559-499-2100

**Telephone Numbers:** For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident,  
Call CHEMTREC Day or Night: 1-800-424-9300  
For Medical Emergencies Only, Call 1-877-325-1840

This product is an EPA FIFRA registered pesticide. Some classifications on this SDS are not the same as the FIFRA label. Certain sections of this SDS are superseded by federal law governed by EPA for a registered pesticide. Please see Section 15. REGULATORY INFORMATION for explanation.

**2. HAZARDS IDENTIFICATION**

**PHYSICAL HAZARDS:**

Not hazardous

**HEALTH HAZARDS:**

Eye Irritation Category 2B

**ENVIRONMENTAL HAZARDS:**

Hazardous to aquatic environment, acute Category 2  
Hazardous to aquatic environment, chronic Category 2

**SIGNAL WORD**

Warning

**HAZARD STATEMENTS:**

Causes eye irritation. Toxic to aquatic life with long lasting effects.



**PRECAUTIONARY STATEMENTS**

Wash hands thoroughly after handling. Avoid unintended release to the environment.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Collect spillage.

Dispose of contents in accordance with local, state, and federal regulations.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

COMPONENTS	CAS NO.	% BY WEIGHT
Glyphosate, N-(phosphonomethyl)glycine, Isopropylamine salt	38641-94-0	1.9 – 2.1
Prodiamine	29091-21-2	0.45 – 0.55
Other Ingredients	Trade Secret	Trade Secret

**Synonyms:** Mixture containing Glyphosate IPA; N-(phosphonomethyl) glycine, in the form of its isopropylamine salt and Prodiamine.

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

**4. FIRST AID MEASURES**

**If in Eyes:** Hold eye open and rinse slowly and gently with water for several minutes. Remove contact lenses, if present, then continue rinsing eye. Get medical attention if irritation occurs and persists.

**If Swallowed:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. If symptoms develop, get medical advice.

**If Inhaled:** Move person to fresh air. If breathing is difficult, administer oxygen. If symptoms develop, get medical advice.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin with plenty of water for several minutes. If irritation occurs, get medical advice.

**Most important symptoms/effects, acute and delayed:** Causes eye irritation. May be harmful if swallowed.

**Indication of immediate medical attention and special treatment needed, if necessary:** Immediate medical attention should not be required.

**5. FIRE FIGHTING MEASURES**

**Extinguishing Media:** Recommended for large fires: foam or water spray. Recommended for small fires: dry chemical or carbon dioxide.

**Special Fire Fighting Procedures:** Firefighters should wear NIOSH approved self-contained breathing apparatus and full fire-fighting turn out gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later.

**Unusual Fire and Explosion Hazards:** If water is used to fight fire, contain runoff, using dikes to prevent contamination of water supplies. Dispose of fire control water later. This product reacts with galvanized steel or unlined steel (except stainless steel) to produce hydrogen gas that may form a highly combustible gas mixture which could flash or explode.

**Hazardous Decomposition Materials (Under Fire Conditions):** May produce gases such as oxides of carbon, nitrogen, and phosphorous.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal Precautions:** Wear appropriate protective gear for the situation. See Personal Protection information in Section 8.

**Environmental Precautions:** Prevent material from entering public sewer systems or any waterways. Do not flush to drain. Large spills to soil or similar surfaces may necessitate removal of topsoil. The affected area should be removed and placed in an appropriate container for disposal.

**Methods for Containment:** Dike spill using absorbent or impervious materials such as earth, sand or clay. Collect and contain contaminated absorbent and dike material for disposal.

**Methods for Cleanup and Disposal:** Pump any free liquid into an appropriate closed container. Collect washings for disposal. Decontaminate tools and equipment following cleanup. See Section 13: DISPOSAL CONSIDERATIONS for more information.

**Other Information:** Large spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

**7. HANDLING AND STORAGE****Handling:**

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove Personal Protective Equipment (PPE) immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

# SAFETY DATA SHEET

# Monterey Remuda® Extended Control RTU

Solutions of this product should be mixed or stored only in stainless steel, aluminum, fiberglass, plastic and plastic lined containers. DO NOT MIX OR STORE THIS PRODUCT OR SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR TANKS. This product or solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

### Storage:

STORE ABOVE 10° F (-12° C) TO KEEP PRODUCT FROM CRYSTALLIZING. Crystals will settle to the bottom. If allowed to crystallize, place in a warm room 68° F (20° C) for several days to redissolve and shake or roll to mix well before using. Do not contaminate water, food, or feed by storage or disposal.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Engineering Controls:

Where engineering controls are indicated by specific use conditions or a potential for excessive exposure, use local exhaust ventilation at the point of generation.

### Personal Protective Equipment:

**Eye/Face Protection:** To avoid contact with eyes, wear chemical goggles or shielded safety glasses. An emergency eyewash or water supply should be readily accessible to the work area.

**Skin Protection:** To avoid contact with skin, wear long pants, long-sleeved shirt, socks, shoes and chemical-resistant gloves. An emergency shower or water supply should be readily accessible to the work area.

**Respiratory Protection:** Not normally required. If vapors or mists exceed acceptable levels, wear NIOSH approved air-purifying respirator with cartridges/canisters approved for use against pesticides.

**General Hygiene Considerations:** Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material: 1) do not store, use and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored; 2) wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics or using the toilet.

### Exposure Guidelines:

Component	OSHA		ACGIH		Unit
	TWA	STEL	TWA	STEL	
Glyphosate, IPA Salt	NE	NE	NE	NE	
Prodiamine	NE	NE	NE	NE	
Other Ingredients	NE	NE	NE	NE	

NE = Not Established

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Yellow liquid
<b>Odor:</b>	Faint
<b>Odor threshold:</b>	No data available
<b>pH:</b>	5.01 (1% w/w dispersion in DIW)
<b>Melting point/freezing point:</b>	No data available
<b>Initial boiling point and boiling range</b>	No data available
<b>Flash point:</b>	Not applicable due to aqueous formulation
<b>Evaporation rate:</b>	No data available
<b>Flammability (solid, gas):</b>	No data available
<b>Upper/lower flammability or explosive limits:</b>	No data available
<b>Vapor pressure:</b>	No data available
<b>Vapor density:</b>	No data available
<b>Relative density:</b>	1.196 g/mL @ 20° C
<b>Solubility(ies):</b>	Miscible
<b>Partition coefficient: n-octanol/water:</b>	No data available
<b>Autoignition temperature:</b>	No data available
<b>Decomposition temperature:</b>	No data available
<b>Viscosity:</b>	43.47 cSt @ 20° C; 33.791 cSt @ 40° C
<b>VOC Emission potential (%):</b>	<0.5

**Note:** Physical data are typical values, but may vary from sample to sample. A typical value should not be construed as a guaranteed analysis or as a specification.

## 10. STABILITY AND REACTIVITY

**Reactivity:** This product reacts with aluminum, galvanized steel or unlined steel (except stainless steel) to produce hydrogen gas that may form a highly combustible gas mixture which could flash or explode.

**Chemical Stability:** This material is stable under normal handling and storage conditions.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur. This product may react with aluminum, galvanized steel, or unlined steel containers to form hydrogen gas which is highly combustible.

**Conditions to Avoid:** Excessive heat. Do not store near heat or flame. Do not store in aluminum, galvanized steel, or unlined steel containers.

**Incompatible Materials:** Strong oxidizing agents: bases and acids. This product reacts with galvanized steel or unlined steel (except stainless steel) to produce hydrogen gas that may form a highly combustible gas mixture which could flash or explode.

**Hazardous Decomposition Products:** Under fire conditions, may produce gases such as oxides of carbon, nitrogen and phosphorous.

## 11. TOXICOLOGICAL INFORMATION

**Likely Routes of Exposure:** Eye contact, Skin contact

**Symptoms of Exposure:**

**Eye:** Slightly irritating based on toxicity studies.

**Skin:** Slightly toxic and non-irritating based on toxicity studies.

**Inhalation:** Low inhalation toxicity.

**Ingestion:** Slightly toxic based on toxicity studies. May cause nausea, vomiting, and abdominal pain.

**Delayed, immediate and chronic effects of exposure:** None reported.

**Toxicological Data:**

Data from laboratory studies on this product are summarized below:

**Oral:** Rat LD<sub>50</sub>: >5,000 mg/kg

**Dermal:** Rat LD<sub>50</sub>: >5,000 mg/kg

**Inhalation:** Rat 4-hr LC<sub>50</sub>: >2.06 mg/l (no mortalities at highest dose tested)

**Eye Irritation:** Rabbit: Mildly irritating (MMTS=19.7)

**Skin Irritation:** Rabbit: Slightly irritating (PDII= 1.2)

**Skin Sensitization:** Not a contact sensitizer in guinea pigs following repeated skin exposure.

**Subchronic (Target Organ) Effects:** Repeated overexposure to glyphosate may decrease body weight gains and effects to liver. Repeated overexposure to prodiamine may decrease body weight gains and affect the liver and thyroid. The surfactant component of this product is reported to cause irritation to the eyes and skin and may contribute to the irritation potential reported for this product. Ingestion may produce gastrointestinal irritation, nausea, vomiting and diarrhea.

**Carcinogenicity / Chronic Health Effects:** Prolonged overexposure to glyphosate may cause effects to the liver. EPA has given glyphosate a Group E classification (evidence of non-carcinogenicity in humans). Canada PMRA has classified glyphosate as non-carcinogenic. In 2015 IARC classified glyphosate as a probable human carcinogen Group 2A based on limited human evidence and some evidence in animals. In animal studies with prodiamine, benign thyroid tumors were seen in rats, but none were observed in mice.

**Reproductive Toxicity:** In laboratory animal studies with glyphosate and prodiamine, effects on reproduction have been seen only at doses that produced toxicity to the parent animals. For prodiamine these effects were seen at high doses.

**Developmental Toxicity:** In animal studies, glyphosate did not cause birth defects in animals; other effects were seen in the fetus only at doses which caused toxic effects to the mother. For prodiamine, fetal toxicity has been seen at high dose levels in rats, developmental and maternal toxicity observed at 1g/kg/day.

**Genotoxicity:** Glyphosate has produced no genetic changes in a variety of standard tests using animals and animal or bacterial cells. Animal tests with prodiamine did not demonstrate mutagenic effects.

**Assessment Carcinogenicity:**

This product contains substances that are considered to be probable or suspected human carcinogens as follows:

# SAFETY DATA SHEET

# Monterey Remuda® Extended Control RTU

Component	Regulatory Agency Listing As Carcinogen			
	ACGIH	IARC	NTP	OSHA
Glyphosate, IPA Salt	No	2A*	No	No
Prodiamine	No	No	No	No

\*Not carcinogenic in rats or mice. Listed as Category 2A by the International Agency for Research on Cancer (IARC) but expert opinion based on weight of evidence is that classification as a carcinogen is not warranted.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity:

Data on Glyphosate Technical:

96-hour LC <sub>50</sub> Bluegill:	120 mg/l	Bobwhite Quail 8-day Dietary LD <sub>50</sub> :	>4,500 ppm
96-hour LC <sub>50</sub> Rainbow Trout:	786 mg/l	Mallard Duck 8-day Dietary LC <sub>50</sub> :	>4,500 ppm 48-
hour EC <sub>50</sub> Daphnia:	780 mg/l		

Data on Prodiamine

96-hour LC <sub>50</sub> Bluegill Sunfish:	0.55 ppm	Bobwhite Quail 8-day Dietary LC <sub>50</sub> :	>10,000 ppm
96-hour LC <sub>50</sub> Rainbow Trout:	0.83 ppm	Mallard Duck 8-day Dietary LC <sub>50</sub> :	>10,000 ppm
48-hour LC <sub>50</sub> Daphnia magna:	0.66 ppm	Bees LC <sub>50</sub> /EC <sub>50</sub> :	>100 µg/bee

### Environmental Fate:

In the environment glyphosate adsorbs strongly to soil and is expected to be immobile in soil. Glyphosate is readily degraded by soil microbes to AMPA (aminomethyl phosphonic acid) that is further degraded to carbon dioxide. Glyphosate and AMPA are unlikely to enter ground water due to their strong adsorptive characteristics. Terrestrially-applied glyphosate has the potential to move into surface waters through soil erosion because it may be adsorbed to soil particles suspended in the runoff. Aquatic applications registered for certain formulations may also result in glyphosate entering surface waters. Complete degradation is slow, but dissipation in water is rapid because glyphosate is bound in sediments and has low biological availability to aquatic organisms. These characteristics suggest a low potential for bioconcentration in aquatic organisms and this has been verified by laboratory investigations of glyphosate bioconcentration in numerous marine and freshwater organisms with and without soil. The maximum whole body bioconcentration factors for fish were observed to be less than 1X. Bioconcentration factors for sediment dwelling mollusks and crayfish tended to be slightly higher, but were always less than 10X. In addition, any residues accumulated in organisms were rapidly eliminated.

Prodiamine does not bioaccumulate. Prodiamine is persistent in soil (immobile) and has an average half-life of approximately 120 days. Prodiamine is stable in water (sinks in water after 24 hours).

## 13. DISPOSAL CONSIDERATIONS

### Waste Disposal Method:

Wastes resulting from use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures. Emptied container retains vapors and product residue. Observe all labeled safeguards until container is cleaned, reconditioned or destroyed.

### COMMERCIAL Container Handling and Disposal:

#### Nonrefillable Containers 5 Gallons or Less:

**Nonrefillable container.** Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying.

**Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration. Do not burn unless allowed by state and local ordinance. If burned stay out of smoke.

#### Nonrefillable containers larger than 5 Gallons:

**CONTAINER DISPOSAL: Nonrefillable container.** Do not reuse or refill this container. Offer for recycling if available. If recycling or reconditioning is not available, puncture and dispose of in a sanitary landfill, or by other

procedures approved by State and local authorities. Plastic containers are also disposable by incineration. Do not burn unless allowed by state and local ordinance. If burned stay out of smoke. Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

**Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

**Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

#### Refillable containers

**CONTAINER HANDLING [DISPOSAL]: Refillable container.** Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water. Agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

#### RESIDENTIAL Container Handling and Disposal:

**Nonrefillable container.** Do not reuse or refill this container.

**If empty:** Place in trash or offer for recycling if available.

**If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

### 14. TRANSPORTATION INFORMATION

Follow the precautions indicated in Section 7: HANDLING AND STORAGE of this MSDS.

#### **DOT**

< 119 gallons per completed package:  
Non Regulated

≥ 119 gallons per completed package:  
UN 3082, Environmentally hazardous substance, liquid, n.o.s., (Prodiamine), 9, III, Marine pollutant

#### **IMDG**

UN 3082, Environmentally hazardous substance, liquid, n.o.s., (Prodiamine), 9, III, Marine pollutant

#### **IATA**

Non Regulated

### 15. REGULATORY INFORMATION

#### EPA FIFRA INFORMATION

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

# SAFETY DATA SHEET

# Monterey Remuda® Extended Control RTU

## U.S. FEDERAL REGULATIONS

**TSCA Inventory:** This product is exempted from TSCA because it is solely for FIFRA regulated use.

**SARA Hazard Notification/Reporting:**

**Hazard Categories Under Criteria of SARA Title III Rules (40 CFR Part 370):**

Acute Health

**Section 313 Toxic Chemical(s):**

None

**Reportable Quantity (RQ) under U.S. CERCLA:**

None

**RCRA Waste Code:**

Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste.

**State Information:**

Other state regulations may apply. Check individual state requirements.

**California Proposition 65:**

Listed with a No Significant Risk Level (NSRL) of 1100 micrograms per day (ug/day).

<b>16. OTHER INFORMATION</b>
------------------------------

**National Fire Protection Association (NFPA) Hazard Rating:**

**Rating for this product: Health: 1 Flammability: 1 Reactivity: 0**

Hazards Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-ACCEPTED PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.

Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of Federal law to use a pesticide product in any manner not prescribed on the EPA-accepted label.

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, Lawn and Garden Products, Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will Lawn and Garden Products, Inc. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon Information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS AND ALL SUCH WARRANTIES ARE HEREBY SPECIFICALLY DISCLAIMED.

**Date of Issue:** July 25, 2018 (Nufarm-May 19, 2015)

Supersedes: December 21, 2017

Remuda® is a registered trademark of Lawn and Garden Products, Inc.