

# Monterey Remuda<sup>®</sup>

## Extended Control

*Pre-emergent & Post-emergent  
Weed Control For Many  
Broadleaf Weeds & Grasses*

- **Dual Action**
- **Up to 4 Months Control**
- **Use On Cracks & Crevices in Driveways, Sidewalks, Walkways and Patios**
- **Along Edges of Lawns**



#### ACTIVE INGREDIENTS:

Glyphosate, N-(phosphonomethyl) glycine,  
In the form of its isopropylamine salt\* ..... 40.15%  
Proflaminate\*\* ..... 7.51%

OTHER INGREDIENTS: ..... 52.34%  
TOTAL: ..... 100.00%

- \* Contains 480 grams per liter or 4.0 pounds per U.S. gallon.  
Equivalent to 356 grams per liter or 2.97 pounds per U.S. gallon.  
\*\* Equivalent to 90 grams per liter or 0.75 pounds per U.S. gallon  
(CAS # 29091-21-1).

EPA Reg. No. 228-509-54705

EPA Est. No. 48498-CA-1

**NET CONTENTS:** 1 Pint, 1 Quart, 1 Gallon

Distributed by:

**LAWN AND GARDEN PRODUCTS, INC.**  
P.O. Box 35000 • Fresno, CA 93745 • (559) 499-2100  
info@montereylawngarden.com

### KEEP OUT OF REACH OF CHILDREN CAUTION / PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

**SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL  
PRECAUTIONARY STATEMENTS**

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300  
For Medical Emergencies only, Call (877) 325-1840

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION / PRECAUCIÓN:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling.

#### FIRST AID

If In Eyes	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
------------	--

#### HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.

#### ENVIRONMENTAL HAZARDS

This product has low solubility in water. At the limits of solubility this product is not toxic to fish. However, at concentrations above the level of water solubility it may be toxic to fish. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment wash water or rinsate.

#### PHYSICAL OR CHEMICAL HAZARDS

Spray solutions of this product should be mixed, stored and applied using only stainless steel, aluminum, fiberglass, plastic or plastic-lined steel containers.

**DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS.** This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.**

Stay off treated areas until sprays have dried. Precautions should be taken to prevent tracking product after application onto desirable grasses.

The preemergent herbicide proflaminate in this product is yellow in color, which allows the user to see the area that has been sprayed. If sprayed on cement curbs, sidewalks, and driveways, it may temporarily stain if not washed off immediately after application. Caution should be used not to wash the product off target weeds or weed control may be adversely affected. Treated areas should be dry before entering to avoid staining onto on-treated surfaces.

**SHAKE WELL BEFORE USING.**

#### PRODUCT INFORMATION

##### WHERE TO USE

Apply this product to both established weeds and weed-prone areas where weeds have not yet emerged:

- on cracks and crevices in driveways, sidewalks, walkways, and patios
- along fences, foundations, curbs, retaining walls, and edges of lawns

- around the base or in mulched beds of well-established (at least 6 months old) plants, shrubs or trees
- on gravel areas

### HOW THIS PRODUCT WORKS

Important: To prevent new weeds and grasses from growing you must spray the entire area you want to control, not just the emerged weeds.

This product works two ways:

1. One ingredient enters the plants through foliage and moves systemically to the roots, killing weeds by stopping the production of a substance found in plants. Weeds begin to yellow and wilt in a matter of days with complete kill in 1 to 2 weeks.
2. The other ingredient provides an herbicidal barrier in the soil by preventing growth and development of newly germinated weeds.

### USE RESTRICTIONS

- **DO NOT** spray desirable plants.
- **DO NOT** use in lawns or for lawn renovations as this product prevents desirable grass establishment.
- **DO NOT** use for vegetable garden preparations or in and around fruits and vegetables.
- **DO NOT** spray around ornamental plants or in an area that will be planted or seeded for 6 months after application when applying at the 3 fluid ounces per 1,000 square feet use rate.
- If applying at or less than the 3 fluid ounces per 1,000 square feet rate **DO NOT** retreat for a minimum of 30 days following application.
- **DO NOT** spray around ornamental plants or in an area that will be planted or seeded for 12 months after application when applying at the 5.75 fluid ounces per 1,000 square feet use rate.
- **DO NOT** apply more than 5.75 fluid ounces per 1,000 square feet per application.
- **DO NOT** apply more than 5.75 fluid ounces per 1,000 square feet per year (12-month period).
- **DO NOT** apply through any type of irrigation system.
- **DO NOT** apply by air.

## APPLICATION

### WHEN TO APPLY

Spray when air is calm to prevent drift to desirable plants. For best results, apply during warm, sunny weather (above 60°F).

### WEEDS CONTROLLED

#### Pre-Emergent:

When used as directed, this product will prevent the following weeds from emerging:

Barnyardgrass	Kochia
Bluegrass, annual ( <i>Poa annual</i> ) <sup>1</sup>	Lambsquarters, common
Carpetweed	Lovegrass
Chickweed, common <sup>2</sup>	Panicum, (Texas, fall, browntop)
Chickweed, mouse-ear (from seed)	Pigweed
Crabgrass (large, smooth)	Purslane, common
Crowfootgrass	Pusley, Florida
Cupgrass, woolly	Rescuegrass <sup>2</sup>
Foxtails, annual	Shepherdspurse <sup>1</sup>
Goosegrass	Signalgrass (broadleaf)
Henbit <sup>1</sup>	Speedwell, Persian
Itchgrass	Sprangletop
Johnsongrass (from seed)	Spurge, prostrate
Junglerice	Witchgrass
Knotweed <sup>1</sup>	Woodsorrel, yellow (from seed)

<sup>1</sup> To control this weed in non-turf areas, apply this product in late summer, fall, or winter before weeds germinate.

<sup>2</sup> Suppression only.

### Post-Emergent:

Barley	Mustard, tansy
Barnyardgrass	Mustard, tumble
Bluegrass, annual	Mustard, wild
Bluegrass, bulbous	Oats, wild
Brome, downy	Panicum, fall
Buttercup	Panicum, Texas
Cheat	Pennycress, field
Chickweed, common	Pigweed, redroot
Chickweed, mouse-ear (from seed)	Pigweed, smooth
Cocklebur	Primrose, cutleaf evening
Corn	Pusley, Florida
Crabgrass	Rice, red
Dwarf dandelion	Rocket, London
False flax, smallseed	Rye
Filaree	Ryegrass, Italian
Foxtail	Shattercane
Foxtail, Carolina	Shepherdspurse
Geranium, Carolina	Sicklepod
Goatgrass, jointed	Signalgrass, broadleaf
Goosegrass	Spanishneedles
Groundsel, common	Sprangletop
Henbit	Spurge, annual
Horseweed/Mare's Tail	Spurry, umbrella
Johnsongrass, seedling	Stinkgrass
Lambsquarters, common	Teaweed
Morningglory	Wheat
Mustard, blue	Witchgrass

### PERENNIAL WEEDS

Alfalfa	Knapweed
Alligatorweed*	Lantana
Anise (fennel)	Lespedeza
Artichoke, Jerusalem	Milkweed
Bahiagrass	Muhly, wirestem
Bentgrass	Mullein, common
Bermudagrass	Napiergrass
Bermudagrass, water (knotgrass)	Nightshade, silverleaf
Bindweed, field	Nutsedge; purple, yellow
Bluegrass, Kentucky	Orchardgrass
Blueweed, Texas	Pampasgrass*
Brackenfern	Paragrass
Bromegrass, smooth	Phragmites*
Bursage, woollyleaf	Poison hemlock
Canarygrass, reed	Quackgrass
Cattail	Redvine*
Clover, red	Reed, giant
Clover, white	Ryegrass, perennial
Cogongrass	Smartweed, swamp
Dallisgrass	Spurge, leafy*
Dandelion	Starthistle, yellow
Dock, curly	Sweet potato, wild*
Dogbane, hemp	Thistle, artichoke
Fescue, tall	Thistle, Canada
Fescues	Timothy
Guinea grass	Torpedograss*
Horsenettle	Trumpetcreeper*
Horseradish	Vaseygrass
Ice plant	Velvetgrass
Johnsongrass	Wheatgrass, Western
Kikuyugrass	

\*Partial Control

**TANK SPRAYER** (plastic, aluminum, fiberglass, plastic-lined steel or stainless steel)

- Add 3 to 5.75 fluid ounces to 1 gallon of water and treat 1,000 sq. ft.
- For longer pre-emergent control and post-emergent control of larger weeds use the higher rate.

**Do not apply with a galvanized or unlined steel (except stainless steel) sprayer, or through any irrigation system.**

## HOW TO APPLY

Spray existing weeds AND the entire surrounding weed-prone area you want to keep free of weeds. Spray the area with sufficient volume to assure complete coverage. When spraying around the base of well-established (at least 6 months old) ornamental plants, shrubs, or trees, shield desirable plants from drift with a sheet of cardboard or plastic. Use caution to prevent application to green stems and leaves, damage can occur.

## WHEN TO REPLANT

All ornamental bedding plants, trees, shrubs, sod, and seed (flowers and grasses) may be planted 6 months after application when applying at the 3 fluid ounces per 1,000 square feet use rate or 12 months when applying at the 5.75 fluid ounces per 1,000 square feet use rate.

## HOW TO CLEAN SPRAYER

To clean sprayer after use, rinse sprayer and all sprayer parts with soap and water 3 times. Spray rinse water on bare soil or gravel. After cleaning, sprayer may be used for other products.

TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER, ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

**If you do not agree with or do not accept any of the directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.**

(RV 123113A)  
0417(01)

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** STORE ABOVE 10°F (-12°C) TO KEEP PRODUCT FROM CRYSTALLIZING. Crystals will settle to the bottom. If allowed to crystallize, place in a warm room 68°F (20°C) for several days to redissolve and shake or roll to mix well before using.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

## WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING, BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

## LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. MANUFACTURER OR SELLER SHALL NOT BE LIABLE