

PENTRA-BARK®

BARK PENETRATING SURFACTANT

PRINCIPLE FUNCTIONING AGENTS:

Alkylphenol ethoxylate, polysiloxane polyether
copolymer, propylene glycol 99.8%
CONSTITUENTS INEFFECTIVE AS A
SPRAY ADJUVANT: 0.2%
TOTAL: 100.0%

All ingredients are exempt from tolerance requirements under 40 CFR 180.

CA No. 83416-50001-AA

Patent Pending

NET CONTENTS: 3.2 FL OZ / 94.6 mL

KEEP OUT OF REACH OF CHILDREN

CAUTION

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling.

Personal Protective Equipment: Wear protective eyewear, long-sleeved shirt and long pants, shoes plus socks when mixing or applying PENTRA-BARK®.

FIRST AID

If Swallowed: Call a physician or poison control center immediately. Do not induce vomiting, unless told to do so by a poison control center or doctor. Have person sip a glass of water if able to swallow.

If on Skin: Remove contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in Eyes: Flush with water for at least 15 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably mouth to mouth if possible.

GENERAL INFORMATION

PENTRA-BARK® is a superior nonionic wetting agent, designed for improving penetration through bark of water-based basal applications. PENTRA-BARK® may be used in agriculture, horticulture, industrial, and forestry operations. It is designed for fast-spreading, uniform distribution and absorption of spray on leaf and stem surfaces. During application, insure thorough coverage without excessive runoff.

DIRECTIONS FOR USE

BASAL BARK TREATMENT: For use only with Agri-Fos Systemic Fungicide in the treatment of Sudden Oak Death.

MIXING: Spray mixing and application equipment must be cleaned according to cleaning directions on prior pesticide label before application.

To minimize and help prevent foaming, fill tank 2/3 to 3/4 full of water. Add PENTRA-BARK® and mix for 1 to 2 minutes with lower than normal agitation. Continue filling tank maintaining minimal agitation. For most effective results, apply within 36 hours after mixing.

Note: Not for use with aquatic applications in the State of Washington.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not store near heat or open flame. Store in original container.

Pesticide: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration.

NOTICE TO BUYER

To the extent permitted by law, all conditions and warranties and statutory or other rights of action which buyer or any other user may have against Quest Products Corp. are hereby excluded. Quest Products Corp. hereby gives notice to buyer and other users that it will not accept responsibility for any indirect or consequential loss arising from reliance on product information provided by Quest Products Corp. or on its behalf unless it is established that such information or advice was provided negligently and that the product has been used strictly as directed. Quest Products Corp's liability shall in all circumstances be limited to replacement of product or refund of the purchase price.

Quest Products Corp.

11712 230 Street
Linwood, Kansas 66052
Ph: 785-542-2577
Fax: 785-542-2531
www.questproducts.us

Pentra-Bark® is a registered trademark of Quest Products Corp.

030306/120113 (02)